ADVANCED LABORATORIES®
If you liked our service, please tell a friend. If you didn't, please tell us!

40 W Louise Ave, Salt Lake City, UT 84115
2874 S 300 West, Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: UTLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: 100% Cacao Paste, 8oz round
Sample ID: CACAO-RND-8OZ
Lot No: CACAO-RRCC-01
Location:
Received: 11/16/2026
Completed: 11/18/2026

Client: 5th and Arcadia LLC dba Sacred Plan
3916 N. Potsdam Ave, PMB 6041
Sioux Falls, SD 57104
U.S.A.
Lab No: 305085-01

Analysis	Result	Per Unit	Method
Arsenic	0.165	µg/15g	ICP-MS USP <730>
Cadmium	3.53	µg/15g	ICP-MS USP <730>
Mercury	0.090	µg/15g	ICP-MS USP <730>
Lead	0.165	µg/15g	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By: Holly Aslam-Quality Technician

Dated: 11/18/2026

Printed: 11/18/2026 4:55:05 PM

TREND CHECK